



WORKLIGHT BATTERY R-STAND



IP54

	EAN	W	lm	K	°C	V _{DC}	°	
LED WORKLIGHT VAL BAT PB 20W865R-ST	4099854430510	20	2000	6500	-10...+40	5	115	7500
LED WORKLIGHT VAL BAT PB 30W865R-ST	4099854430534	30	3000	6500	-10...+40	5	115	7500

1x  **1400 g**
4099854430510

3x  **3.7V 18650 lithium**


1x  **1750 g**
4099854430534

4x  **3.7V 18650 lithium**


USB-C




mm



	L	W	H
4099854430510	266	220	276
4099854430534	292	219	276



2




3

IP20



IP54




USB-C



USB






0% 50% 100%

5-6h 7-8h


4099854430510 4099854430534




Operation time: 20W 30W

Light Icon	20W	30W	Brightness
	12h @	12h @	25%
	6h @	6h @	50%
	2.5h @	2.5h @	100%
			OFF

4





LEDVANCE SASU
CQM, 5 rue d'Altorf
67120 Molsheim France
www.ledvance.com

GB LEDVANCE Ltd, Sterling House,
810 Mandarin Court, Warrington,
Cheshire, WA1 1GG, United Kingdom

G11211029
27.01.2025