







NEON DIGITALFLEX




	EAN	W	lm	Θ_{amb} (°C)	V~	mA	Hz
NEON DIGITALFLEX 3M REMOTE RGB IP44	4058075504745	15	120	-20...+40	220-240	120	50/60
NEON DIGITALFLEX 5M REMOTE RGB IP44	4058075504769	23	180	-20...+40	220-240	170	50/60





		Increase/Decrease Buttons increase/decrease LED brightness in static mode Buttons increase/decrease speed in dynamic mode The number of IC is added or subtracted in IC SET mode		White light refresh water effect (left) The color when running CS/C3/C7/C16 key mode flows to the left on the white light.
		OFF/ON On/off button: click once to turn on the LED controller; Click once again to turn off the LED controller;		White light refresh water effect (Right) The color when running CS/C3/C7/C16 key mode flows to the right on the white light.
		White/Warm White Click white light; Click warm white;		Refresh ground color(left) Run the CS/C3/C7/C16 button mode. The background color is the previous color and swipe left in sequence
		IC setting up mode Press this key to enter the IC Set mode. (Press any other mode key to exit the IC Set mode) You can optional increase/decrease key to add or reduce the number of ICs to change the LED light length of LED strip.		Refresh ground color(Right) Run the CS/C3/C7/C16 button mode. The background color is the previous color and swipe right in sequence
		Static color selection Press this key to switch between red, green, blue, yellow, purple, cyan, cool white and warm white... amount 8 Static colors		Meteor drops of water(left) The color running under the CS/C3/C7/C16 button mode, drop 8 ICs / 8-level grayscale (the speed is not adjustable here). After dropping these 8 ICs, slide to the left like a meteor (the speed is adjustable here).
		3 colors selection Press this key to switch between red, green, blue, 3 static colors.		Meteor drops of water (Right) The color running under the CS/C3/C7/C16 button mode, drop 8 ICs / 8-level grayscale (the speed is not adjustable here). After dropping these 8 ICs, slide to the right like a meteor (the speed is adjustable here).
		7 colors selection Press this key to switch between red, green, blue, yellow, purple, blue, white amount 7 Static colors		Automatic All pattern loops
		16 colors selection Pressing this key to switch between red, green, blue, yellow, purple, cyan, white, orange, dark yellow, light yellow, light green light blue, dark blue, sky blue, blue purple, magenta, 16 static colors.		Circulation of running water mode Running CS/C3/C7/C16 button mode to circulate the flowing water to the left and right.
		Curtain-up mode The color when running CS/C3/C7/C16 key mode, push from the middle to both sides to form the dispersion effect.		Gradual change Running CS/C3/C7/C16 button mode gradual change effect
		Collect effect mode The color when running CS/C3/C7/C16 key mode, Promote the closing effect from both sides to the middle.		Jump Running CS/C3/C7/C16 button mode jump effect.
		Flowing water effect (left) Running CS/C3/C7/C16 button mode, each color flows to the left.		The meteor circulates around When running CS/C3/C7/C16 button mode, the meteor swipes to the left and right (dip) circulation effect.
		Flowing water effect (Right) Running CS/C3/C7/C16 button mode, each color flows to the right		



¹ ① Lichtleiste nicht verwenden, wenn abgedeckt oder in eine Fläche eingelassen. ② Do not use the lightstrip when covered or recessed into a surface. ③ Ne pas utiliser le bandeau lumineux s'il est couvert ou en retrait dans un quelconque matériau. ④ Non utilizzare la striscia luminosa se coperta o incassata in una superficie. ⑤ No utilize la línea de luces si está cubierta o incrustada en una superficie. ⑥ Não use a fita de luz quando estiver coberta ou embutida numa superfície. ⑦ Μην χρησιμοποιείτε τη λωρίδα φωτισμού όταν καλύπτεται ή είναι σε εσοχή μέσα σε επιφάνεια. ⑧ Gebruik de lichtketting niet als deze bedekt is of in een oppervlak is verzonken. ⑨ Använd inte belysningslängan när den är övertäckt eller på en inskjuten yta. ⑩ Älä käyttää valonauhaa jos se on peitetty tai upotettu pintaan. ⑪ Bruk ikke lysstripen dersom den er tildekket eller felt inn i en overflate. ⑫ Lysstrimlen må ikke bruges, når den er tildækket eller forsinket i en overflade. ⑬ Světelný pás nepoužívejte zakrytý nebo zapuštěný do povrchu. ⑭ Ne használja a fényszalagot letakarva, illetve a felületbe beüllesztve. ⑮ Nie korzystać z taśmy świetlnej, jeżeli jest przykryta lub wpuszczona w powierzchnię. ⑯ Svetelný pás nepoužívajte, ak je zakrytý alebo zapustený do povrchu. ⑰ Ne uporabljajte svetlobnegatruku, če je pokrit ali v utoru v površini. ⑱ İşik şeridini bir yüzeye örtülümüş ya da gömülümüş bir şekildedeyken kullanmayın. ⑲ Ne upotrebljavajte svetlosnu traku ako je pokrivena ili ulegnuta u površinu. ⑳ Nu folosiți banda de leduri dacă este acoperită sau introdusă într-o adâncitură. ㉑ Не използвайте светлинната лента, когато е покрита или поставена в прорез на повърхност. ㉒ Ärge kasutage valgusriba, kui see on kinni kaetud või süvistatud. ㉓ Nenaudokite šviesos juostos, kai ji yra uždenota arba įdėta į paviršių. ㉔ Neizmantot gaismas lenti, ja tā ir apsegta vai iegrīmusi virsmā. ㉕ Не користіть светлосну трaku ako je pokrivena ili ulegnuta u površinu. ㉖ Не використовуйте світлодіодну стрічку, коли вона чимось закрита або вмонтована в поверхню.

² ① Die Lichterkette darf nicht in der Verpackung betrieben werden. ② The string of lights may not be operated within the packaging. ③ Le bandeau lumineux ne doit pas être mis en fonction alors qu'il se trouve dans son emballage. ④ La serie di luci non può essere messa in funzione dall'imballaggio. ⑤ La cadena de luces no se puede operar dentro del embalaje. ⑥ A grinalda luminosa não pode ser usada dentro da embalagem. ⑦ Η σειρά των φωτιστικών δεν πρέπει να χρησιμοποιείται εάν είναι μέσα στη συσκευασία. ⑧ De striplamp mag niet in de verpakking worden gebruikt. ⑨ Lysröret får inte användas inuti förpackningen. ⑩ Valonauhaa ei saa käyttää paketin sisällä. ⑪ Lyskjeden får ikke brukes mens den fortsatt befinner seg i emballasjen. ⑫ Lyskæden må ikke være i drift, men den er i emballagen. ⑬ Světelný pás nesmí být používán ve svém obalu. ⑭ A fényfűzést nem szabad a csomagolásban használni. ⑮ Paska świetlnego nie można używać, gdy jest w opakowaniu. ⑯ Svetelná refaz sa nesmie používať v obale. ⑰ Svetlobne verige ni dovoljeno uporabljati v embalaži. ⑱ Noel işiklan ambalajı içinde kullanılamaz. ⑲ Svetlosni lanac ne smije se pokretati dok se nalazi u pakiranju. ⑳ Reteaua de lumini nu poate fi acționată în interiorul ambalajului. ㉑ Със светлинните гирлянди не може да се работи, докато са в опаковката. ㉒ Valgusketti ei tohi kasutada, kui see asub pakendis. ㉓ Šviesos juostos negalima naudoti, kol jos yra rakuotėje. ㉔ Gaismu virteni nav atlaids darbināt, kamēr virtene atrodas iepakojumā. ㉕ Svetlosni lanac ne sme da se pušta u rad dok se nalazi u pakovanju. ㉖ Світлодіодну стрічку не можна використовувати, якщо вона перебуває в упаковці.

³ ① Lichtleiste nicht öffnen. ② Do not open the lightstrip. ③ Ne pas ouvrir le bandeau lumineux. ④ Non aprire la striscia luminosa. ⑤ No abra la línea de luces. ⑥ Não abra a fita de luz. ⑦ Μην ανοίγετε τη λωρίδα φωτός. ⑧ Open de lichtketting niet. ⑨ Öppna inte ljuslsten. ⑩ Älä avaa valonauhaa. ⑪ Åpne ikke lysstripen. ⑫ Lysstrimlen må ikke åbnes. ⑬ Světelný pás neotvírejte. ⑭ Ne nyissa fel a fényszalagot. ⑮ Nie otwieraj paski świetlnego. ⑯ Svetelný pás neotvárajte. ⑰ Svetlobnega traku ne odpirajte. ⑱ İşik şeridini açmayın. ⑲ Ne otvarajte svetlosnu traku. ㉑ Nu desfaceți banda LED. ㉒ Не отваряйте светлинната лента. ㉓ Ärge avage valgusriba. ㉔ Neatidarykite šviesos juostos. ㉕ Neatveriet gaismas lenti. ㉖ Не отваряте светлосну трaku. ㉗ Світлодіодну стрічку не можна розкривати.



C10449057
G11102951
31.08.2020



LEDVANCE GmbH
Steinerne Furt 62
86167 Augsburg, Germany
www.ledvance.com