

# Zertifikat *Certificate*

**Zertifikatsnummer Certificate No.:**

PV 50672643 0001

**Berichtsnummer Report No.:**

CN25MWRJ 001

**Genehmigungsinhaber License Holder:**

Ningbo Osda Solar Co., Ltd.  
 Building F0001, No.77, Zhuangxingg Road, Jiangbei  
 District  
 Ningbo  
 315000 Zhejiang  
 P.R. China

**Fertigungsstätte Manufacturing Site:**

2 Fertigungsstätten auf Folgeseiten  
*Listing of 2 factories on following pages*

**Prüfzeichen Test Mark:**

**Geprüft nach Tested according to:**

IEC 61215-1:2021  
 IEC 61215-1-1:2021  
 IEC 61215-2:2021  
 IEC 61730-1:2023  
 IEC 61730-2:2023  
 EN IEC 61215-1:2021  
 EN IEC 61215-1-1:2021  
 EN IEC 61215-2:2021  
 EN IEC 61730-1:2018  
 EN IEC 61730-2:2018

**Geräteidentifikation**
*Product Identification*
**Produkt:** PV Module

*Product:*
**Modell:** Modelle sind auf nächste(r) Seite(n) gelistet

*Type:* *Type designation(s) are listed on the next page(s)*
**Technische Daten:** Class II acc. to IEC 61140

*Technical Data:* For other ratings, refer to the test report

**Gültig bis:** 2030-04-15

*Date of expiry:*
**Gültig ab:** 2025-04-16

*Valid from:*
**Ausstellungsdatum:** 2025-04-16

*Date of issue:*
**Zertifizierungsstelle:**
*Certification body:*

 \_\_\_\_\_  
 Weichun Li

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.  
 Das Produkt entspricht den o.g. Anforderungen, die Herstellung wird überwacht.  
 This certificate is based on our Testing and Certification Regulation. The product fulfills above mentioned requirements, the production is subject to surveillance.

**TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg**
<http://www.tuv.com/safety> E-mail: markcheck@tuv.com

Fax: +49 221 806-3935

# Zertifikat *Certificate*

**Zertifikatsnummer** *Certificate No.:*

PV 50672643 0001

**Berichtsnummer** *Report No.:*

CN25MWRJ 001

**Produkt** *Product:* PV Module

**Modell** *Type:*

**Bezeichnung** *Designation:*

Max. System Voltage: up to 1500 VDC (Voc at STC):

With ½ cut of Topcon c-si cells:

ODAxXX-33V-MHD, ODAxXX-33V-MHDB

(xxx = 670-730, in steps of 5, 132 cells, Pmax@BNPI = 743-809)

ODAxXX-30V-MHD, ODAxXX-30V-MHDB

(xxx = 610-660, in steps of 5, 120 cells, Pmax@BNPI = 676-731)

ODAxXX-33V-MHDRz, ODAxXX-33V-MHDBRz

(xxx = 610-650, in steps of 5, 132 cells, Pmax@BNPI = 676-720)

ODAxXX-30V-MHDRz, ODAxXX-30V-MHDBRz

(xxx = 555-590, in steps of 5, 120 cells, Pmax@BNPI = 615-654)

ODAxXX-27V-MHDRz, ODAxXX-27V-MHDBRz

(xxx = 495-530, in steps of 5, 108 cells, Pmax@BNPI = 549-587)

ODAxXX-24V-MHDRz, ODAxXX-24V-MHDBRz

(xxx = 440-470, in steps of 5, 96 cells, Pmax@BNPI = 488-521)

ODAxXX-39V-MHD, ODAxXX-39V-MHDB

(xxx = 590-650, in steps of 5, 156 cells, Pmax@BNPI = 654-720)

ODAxXX-36V-MHD, ODAxXX-36V-MHDB

(xxx = 550-605, in steps of 5, 144 cells, Pmax@BNPI = 609-671)

ODAxXX-33V-MHD, ODAxXX-33V-MHDB

(xxx = 500-555, in steps of 5, 132 cells, Pmax@BNPI = 554-615)

ODAxXX-30V-MHD, ODAxXX-30V-MHDB

(xxx = 460-500, in steps of 5, 120 cells, Pmax@BNPI = 510-554)

ODAxXX-27V-MHD, ODAxXX-27V-MHDB

(xxx = 410-450, in steps of 5, 108 cells, Pmax@BNPI = 454-499)

xxx represents output power in Wp

Remarks:

Fire Rating: Class A (according to UL 790)

Design Load / Safety Factors: 3600 Pa / 1.5 (downward)

1600 Pa / 1.5 (upward)

Conditions:

The product test is voluntarily according to technical regulations. Any change of the design, materials, components or processing may require the repetition of some of the qualification tests in order to retain type approval.



# Zertifikat *Certificate*

**Zertifikatsnummer** *Certificate No.:*

PV 50672643 0001

**Berichtsnummer** *Report No.:*

CN25MWRJ 001

**Produkt** *Product:*

PV Module

**Fertigungsstätten** *Factories:*

---

- 1 Ningbo Osda Solar Co., Ltd.  
Building F0001, No.77, Zhuangxingg Road, Jiangbei District  
Ningbo  
315000 Zhejiang  
P.R. China
- 2 Shandong Oushengda New Energy Co., Ltd.  
Guanzhuang Middle Road and AeSouth  
Road, Zhengwang Town, Hedong District,  
Linyi City,  
276000 Shandong  
P.R. China

