




www.weka-holzbau.com











Hochbeet









669.2007.20000







Montage-, Bedienungs- und Wartungsanleitung





Pos	Bild	Abmessung (mm)	Anzahl (Stück)
			669.2007.20000
①	R002.0006.1940 	19/121/1940	10
②	G317.01.0031 	19/113/1940	2
③	R002.0006.0720 	19/121/720	10
④	G317.01.0029 	19/113/720	2
⑤	R002.0530.0670 	15/45/670	12
⑥	R002.0425.0780 	18,5/70/780	2
⑦	R002.0425.1900 	18,5/70/1900	2

Pos	Bild	Abmessung (mm)	Anzahl (Stück)
			669.2007.2000
8	G669.20.0004 	800x5500	1
9	K009.7308.0001 	00/08/730	1

M669.010		Abmessung (mm)	Anzahl (Stück)
Pos	Bild		
M1	K001.3035.0004 	3,5x30	150
M2	K011.1320.0001 	2,0x13	30
M3	K020.8400.0001 	2,0x24x8,4	2
M4	K026.0800.0001 		2




Farbe dünn auftragen und nur auf der Schadstelle.








Farbe tupfen
Vorgang wiederholen

1




2











5



6



7



WEKA Holzbau GmbH
Johannesstr. 16, 17034 Neubrandenburg
Tel.: +49 (0)395 42908-0
Fax: +49 (0)395 42908-83
Mail: info@weka-holzbau.com
Web: www.weka-holzbau.com

MA Art.-Nr.: 800.0286.18.60