

Kaiman *pro*



(D) Bretrichter

(F) Redresseur
de lame

(NL) Terrasplank
rechtmaker


(UK) Deckboard
wrench

set up 1

SPAX® Kaiman pro

out

2



set up 2

SPAX® Kaiman pro



regulate power

SPAX® Kaiman pro

4
“in” =
power +

in



pressure plus



regulate power

SPAX® Kaiman pro

“out” =
power –

out

5



pressure minus



SPAX[®] Kaiman pro

No!

50 kg max. !

600 kg

6



SPAX® Kaiman pro

push

50 kg

power **x12**

600 kg


Patent SPAX

7

8



SPAX® Liner & Stick pro



INVISIBLE

SPAX[®] Stick pro



Video "Stick pro"



PROTECTION

SPAX® Air



PROTECTION

SPAX[®] Tape




Video "Tape"

12

PROTECTION

SPAX[®] Pad



Video "Pads"

SPAX® Lift

**800
kg**



Video "Lift"

freelift

for

← 91 mm →



Video "freelift"

SPAX® Drill 2 step



Video "Drill 2 step"



hardwood drill, specially for SPAX



Video “Kaiman*pro*”

SPAX International GmbH & Co. KG

ALTENLOH, BRINCK & CO - GRUPPE SEIT 1823

Kölner Straße 71-77 · 58256 Ennepetal · Germany

Tel.: +49-23 33-799-160 · Fax: +49-23 33-799-197

info@spax.com · www.spax.com