

# CERTIFICATE

## of Conformity

### Low Voltage Directive (EU) 2014/35

**Registration No.:** AN 50672648 0001  
**Report No.:** CN25MWRJ 001  
**Holder:** Ningbo Osda Solar Co., Ltd.  
Building F0001, No.77, Zhuangxing Road, Jiangbei District  
Ningbo  
315000 Zhejiang  
P.R. China  
**Product:** PV Module

#### Type designation listed on the next page

This certificate of conformity is based on an evaluation of a sample of the above-mentioned product. Technical Report and documentation are at the License Holder's disposal. This is to certify that the tested sample is in conformity with Annex I of Council Directive (EU) 2014/35, referred to as the Low Voltage Directive. This certificate does not imply assessment of the series-production of the product and does not permit the use of a TÜV Rheinland mark of conformity. The holder of the certificate is authorized to use this certificate in connection with the EC declaration of conformity according to Annex IV of the Directive.

#### Certification Body

**Date:** 2025-04-16

  
Weichun Li



**TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg**

The CE marking may be used if all relevant and effective EC Directives/Regulations are complied with.

# CERTIFICATE

## of Conformity

### Low Voltage Directive (EU) 2014/35

**Registration No.:** AN 50672648 0001

**Product:** PV Module

**Identification:**

**Type Designation**

Max. System Voltage: up to 1500 VDC (Voc at STC):

With ½ cut of Topcon c-si cells:

ODAxXX-33V-MHD, ODAxxx-33V-MHDB

(xxx = 670-730, in steps of 5, 132 cells, Pmax@BNPI = 743-809)

ODAxXX-30V-MHD, ODAxxx-30V-MHDB

(xxx = 610-660, in steps of 5, 120 cells, Pmax@BNPI = 676-731)

ODAxXX-33V-MHDRz, ODAxxx-33V-MHDBRz

(xxx = 610-650, in steps of 5, 132 cells, Pmax@BNPI = 676-720)

ODAxXX-30V-MHDRz, ODAxxx-30V-MHDBRz

(xxx = 555-590, in steps of 5, 120 cells, Pmax@BNPI = 615-654)

ODAxXX-27V-MHDRz, ODAxxx-27V-MHDBRz

(xxx = 495-530, in steps of 5, 108 cells, Pmax@BNPI = 549-587)

ODAxXX-24V-MHDRz, ODAxxx-24V-MHDBRz

(xxx = 440-470, in steps of 5, 96 cells, Pmax@BNPI = 488-521)

ODAxXX-39V-MHD, ODAxxx-39V-MHDB

(xxx = 590-650, in steps of 5, 156 cells, Pmax@BNPI = 654-720)

ODAxXX-36V-MHD, ODAxxx-36V-MHDB

(xxx = 550-605, in steps of 5, 144 cells, Pmax@BNPI = 609-671)

ODAxXX-33V-MHD, ODAxxx-33V-MHDB

(xxx = 500-555, in steps of 5, 132 cells, Pmax@BNPI = 554-615)


ODAxXX-30V-MHD, ODAxxx-30V-MHDB

(xxx = 460-500, in steps of 5, 120 cells, Pmax@BNPI = 510-554)

ODAxXX-27V-MHD, ODAxxx-27V-MHDB

(xxx = 410-450, in steps of 5, 108 cells, Pmax@BNPI = 454-499)

xxx represents output power in Wp



**TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg**

The CE marking may be used if all relevant and effective EC Directives/Regulations are complied with.

# CERTIFICATE

## of Conformity

### Low Voltage Directive (EU) 2014/35

**Registration No.:** AN 50672648 0001

**Product:** PV Module

**Identification:** Type Designation

**Remarks:**  
Valid in conjunction with TÜV Rheinland certificate  
PV 50672643 Page 0001.



**TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg**

The CE marking may be used if all relevant and effective EC Directives/Regulations are complied with.